Our Ref: OM-LC/005

Alpha
Consulting Engineers Pte Ltd

2 ALEXANDRA ROAD, #03-03 DELTA HOUSE, SINGAPORE 159919
TEL: (65) 6276 2228 FAX: (65) 6276 9929 E-MAIL: ace@alpha.com.sg
WEBSITE: www.alpha.com.sg COMPANY REGN NO. 199407965N

24 February 2011

MEMORANDUM

To: All Engineering Staff

From: Loh Fook Yuen

SINGAPORE STANDARD SS 263 : PART 1 : 2010 SPECIFICATION FOR LUMINAIRES PART 1: GENERAL REQUIREMENTS AND TESTS

SINGAPORE STANDARD SS 564 : 2010 GREEN DATA CENTRES – ENERGY AND ENVIRONMENTAL MANAGEMENT SYSTEMS

Please be informed that we have purchased two copies of the above Singapore Standards and have uploaded them to Intranet, for reference by the Staff.

The above Standards can be viewed at:
http://intranet.alpha.com.sg/library/Code_of_Practice/SS263.pdf &
http://intranet.alpha.com.sg/library/Code_of_Practice/SS564.pdf

LOH FOOK YUEN

cc TLS/LCT/CCG/GSH
cc Memo File

/yzw

BCA ISO 14000 CERT. NO.: 2008/134 SS ISO 14001 : 2004
BCA ISO 9000 CERT. NO.: 324 SS ISO 9001 : 2000
SAC ACCREDITED CERTIFICATION BODY Cert No: QS-1997-02 Member of the IAF MLA for QMS

CONTENTS

National Foreword 12
FOREWORD 13

SECTION 0: GENERAL INTRODUCTION

0.1 Scope and object 15
0.2 Normative references 16
0.3 General requirements 19
0.4 General test requirements and verification 19
0.5 Components of luminaires 20
0.6 List of parts of IEC 60598-2 21

SECTION 1: DEFINITIONS

1.1 General 22
1.2 Definitions 22

SECTION 2: CLASSIFICATION OF LUMINAIRES

2.1 General 34
2.2 Classification according to type of protection against electric shock 34
2.3 Classification according to degree of protection against ingress of dust, solid objects and moisture 34
2.4 Classification according to material of supporting surface for which the luminaire is designed 35
2.5 Classification according to the circumstances of use 35

SECTION 3: MARKING

3.1 General 35
3.2 Marking on luminaires 35
3.3 Additional information 39
3.4 Test of marking 41

SECTION 4: CONSTRUCTION

4.1 General 42
4.2 Replaceable components 42
4.3 Wireways 42
4.4 Lampholders 42
4.5 Starter holders 44
4.6 Terminal blocks 44
4.7 Terminals and supply connections 44
4.8 Switches 47
4.9 Insulating linings and sleeves 47
4.10 Double and reinforced insulation 48
4.11 Electrical connections and current-carrying parts 49
4.12 Screws and connections (mechanical) and glands 50
4.13 Mechanical strength 53
4.14 Suspensions and means of adjustment 56
4.15 Flammable materials 59

COPYRIGHT

4.16 Luminaires for mounting on normally flammable surfaces 60
4.17 Drain holes 62
4.18 Resistance to corrosion 62
4.19 Ignitors 63
4.20 Rough service luminaires – Vibration requirements 63
4.21 Protective shield 63
4.22 Attachments to lamps 64
4.23 Semi-luminaires 64
4.24 UV radiation 64
4.25 Mechanical hazard 64
4.26 Short-circuit protection 65
4.27 Terminal blocks with integrated screwless earthing contacts 65

SECTION 5: EXTERNAL AND INTERNAL WIRING

5.1 General 65
5.2 Supply connection and other external wiring 65
5.3 Internal wiring 70

SECTION 6: Not used

SECTION 7: PROVISION FOR EARTHING

7.1 General 72
7.2 Provision for earthing 72

SECTION 8: PROTECTION AGAINST ELECTRIC SHOCK

8.1 General 74
8.2 Protection against electric shock 74

SECTION 9: RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE

9.1 General 78
9.2 Tests for ingress of dust, solid objects and moisture 78
9.3 Humidity test 82

SECTION 10: INSULATION RESISTANCE AND ELECTRIC STRENGTH, TOUCH CURRENT AND PROTECTIVE CONDUCTOR CURRENT

10.1 General 82
10.2 Insulation resistance and electric strength 82
10.2.1 Test – Insulation resistance 83
10.2.2 Test – Electric strength 84
10.3 Touch current, protective conductor current and electric burn 86

SECTION 11: CREEPAGE DISTANCES AND CLEARANCES

11.1 General 87
11.2 Creepage distances and clearances 87

SECTION 12: ENDURANCE TEST AND THERMAL TEST

12.1 General 90
12.2 Selection of lamps and ballasts 90

COPYRIGHT

12.3 Endurance test 90
12.3.1 Test 91
12.3.2 Compliance 92
12.4 Thermal test (normal operation) 92
12.4.1 Test 92
12.4.2 Compliance 94
12.5 Thermal test (abnormal operation) 97
12.5.1 Test 97
12.5.2 Compliance 99
12.6 Thermal test (failed windings in lamp control gear) 101
12.6.1 Test for luminaires without thermal cut-outs 101
12.7 Thermal test in regard to fault conditions in lamp control gear or electronic devices incorporated in thermoplastic luminaires 103
12.7.1 Test for luminaires without temperature sensing controls 103
12.7.2 Test for luminaires with temperature sensing controls internal/external to the ballast or transformer 105

SECTION 13: RESISTANCE TO HEAT, FIRE AND TRACKING

13.1 General 105
13.2 Resistance to heat 106
13.3 Resistance to flame and ignition 106
13.4 Resistance to tracking 107

SECTION 14: SCREW TERMINALS

14.1 General 107
14.2 Definitions 107
14.2.1 Pillar terminal 107
14.2.2 Screw terminal 108
14.2.3 Stud terminal 108
14.2.4 Saddle terminal 108
14.2.5 Lug terminal 108
14.2.6 Mantle terminal 108
14.3 General requirements and basic principles 108
14.4 Mechanical tests 110

SECTION 15: SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS

15.1 General 114
15.2 Definitions 114
15.2.1 Screwless terminals 114
15.2.2 Permanent connections 114
15.2.3 Non-permanent connections 114
15.2.4 Lead assemblies 114
15.2.5 Non-prepared conductors 114
15.2.6 Test current 114
15.3 General requirements 115
15.4 General instructions on tests 116
15.4.1 Preparation of samples 116
15.4.2 Test conductors 116
15.4.3 Multi-conductor terminals 116

COPYRIGHT

15.4.4 Multi-way terminals 116
15.4.5 Test quantities 116
15.5 Terminal and connections for internal wiring 116
15.5.1 Mechanical tests 116
15.6 Electrical tests 117
15.6.1 Contact resistance test 118
15.6.2 Heating tests 118
15.7 Terminals and connections for external wiring 119
15.7.1 Conductors 119
15.8 Mechanical tests 119
15.9 Electrical tests 120
15.9.1 Contact resistance test 120
15.9.2 Heating tests 121

Annex A (normative) Test to establish whether a conductive part may cause an electric shock 146
Annex B (normative) Test lamps 147
Annex C (normative) Abnormal circuit conditions 150
Annex D (normative) Draught-proof enclosure 153
Annex E (normative) Determination of winding temperature rises by the increase-in-resistance method 156
Annex F (normative) Test for resistance to stress corrosion of copper and copper alloys 157
Annex G (normative) Measurement of touch current and protective conductor current 159
Annex H (Void) 163
Annex I (Void) 164
Annex J (informative) Explanation of IP numbers for degrees of protection 165
Annex K (informative) Temperature measurement 167
Annex L (informative) Guide to good practice in luminaire design 170
Annex M (normative) Determination of creepage distances and clearances 175
Annex N (informative) Explanation of marking for luminaires that are not suitable for mounting on normally flammable surfaces and covering with insulation materials 176
Annex O (Void) 180
Annex P (normative) Absorption requirements for the protective shield to be fitted to luminaires designed for metal halide lamps which emit a high level of UV radiation 181
Annex Q (informative) Conformity testing during manufacture 183
Annex R (normative) Schedule of amended subclauses containing more serious/critical requirements which require products to be retested 185
Annex S (normative) Requirements for the identification of a family or range of luminaires for type testing 186
Annex T (informative) Reference to Class 0 187
Annex U (informative) Creepage and clearances distances for luminaires where a higher degree of availability (impulse withstand category III) may be requested 188
Annex V (normative) Additional test requirements for terminal blocks with integrated screwless earthing contact for direct connection to the luminaire housing or to parts of the body 190
Annex W (normative) Alternative thermal test for thermoplastic luminaires 192

Bibliography 194

COPYRIGHT

Figure 1 – Symbols 122
Figure 2 – Terminal block arrangement for installation test for luminaires with connecting leads (tails) 124
Figure 3 – *This figure has been withdrawn from the present edition* 124
Figure 4 – Illustration of the requirements of 4.15 125
Figure 5 – *This figure has been withdrawn from the present edition* 125
Figure 6 – Apparatus for proving protection against dust 126
Figure 7 – Apparatus for testing protection against rain and splashing 127
Figure 8 – Nozzle for spray test 128
Figure 9 – Relation between winding temperature and mounting surface temperature 129
Figure 10 – Ball-pressure apparatus 130
Figure 11 – Arrangement and dimensions of the electrodes for the tracking test 130
Figure 12 – Pillar terminals 131
Figure 13 – Screw terminals and stud terminals 132
Figure 14 – Saddle terminals 134
Figure 15 – Lug terminals 135
Figure 16 – Mantle terminals 136
Figure 17 – Construction of electrical connections 137
Figure 18 – Examples of spring-type screwless terminals 137
Figure 19 – Further examples of screwless terminals 138
Figure 20 – Illustration of the terms "lopping-in" and "through wiring" 139
Figure 21 – Apparatus for ball impact tests 140
Figure 22 – Examples of self-tapping, thread-cutting and thread-forming screws (from ISO 1891) 140
Figure 23 – *This figure has been withdrawn from the present edition* 140
Figure 24 – Illustration of creepage and clearance measurements at a supply terminal 141
Figure 25 – Tumbling barrel 141
Figure 26 – Test circuit for safety during insertion 142
Figure 27 – Ignition temperatures of wood as a function of time 142
Figure 28 – Example of permitted degree of soldering 143
Figure 29 – Test chain 143
Figure 30 – Example of a thread forming screw used in a groove of a metallic material 144
Figure 31 – Electro-mechanical contact system with plug/socket connection 145
Figure 32 – Test circuit for luminaires incorporating fluorescent lamp ≤ 70 W 145
Figure C.1 – Circuit for testing rectifying effect (some capacitive starterless ballasts only) 151
Figure C.2 – Circuit for testing rectifying effect (ballasts for single pin lamps) 151
Figure C.3 – Circuit for testing rectifying effect of some high pressure sodium and some metal halide lamps 152
Figure D.1 – Example of test recess where a luminaire comprises separate parts 154
Figure D.2 – Correct test box size (insulating ceilings) for an adjustable luminaire 155
Figure G.1 – Test configuration: single-phase equipment on star TN or TT system 161

COPYRIGHT

Figure G.2 – Measuring network, touch current weighted for perception or reaction (for all class II and fixed class I luminaires) 161
Figure G.3 – Measuring network, touch current weighted for let-go (for portable class I luminaires) 161
Figure G.4 – Measuring network, weighted for high frequency protective conductor currents 162
Figure K.1 – Placing of thermocouples on a typical lampholder 169
Figure V.1 – Arrangement for voltage drop test 191

Table 3.1 – Marking 36
Table 4.1 – Torque tests on screws 51
Table 4.2 – Torque tests on glands 53
Table 4.3 – Impact energy and spring compression 54
Table 4.4 – Test on semi-luminaires 57
Table 4.5 – Test on adjusting devices 58
Table 5.1 – Supply cords 66
Table 5.2 – Tests for cord anchorage 68
Table 9.1 – Solid-object-proof luminaire test 80
Table 10.1 – Minimum insulation resistance 83
Table 10.2 – Electric strength 85
Table 10.3 – Limits of touch current or protective conductor current and electric burn 86
Table 11.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages (to be used in conjunction with Annex M) 88
Table 11.2 – Minimum distances for sinusoidal or non-sinusoidal pulse voltages 90
Table 12.1 – Maximum temperatures under the test conditions 12.4.2, for principal parts 95
Table 12.2 – Maximum temperatures under the test conditions of 12.4.2, for common materials used in luminaires 96
Table 12.3 – Maximum temperatures under the test conditions of 12.5.1 99
Table 12.4 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear 100
Table 12.5 – Maximum temperature of windings under abnormal operating conditions and at 110 % of rated voltage for lamp control gear marked "D6" 100
Table 12.6 – Temperature overshoot time limitation 102
Table 14.1 – Nominal cross-sectional areas of conductors according to terminal sizes 109
Table 14.2 – Nominal cross-sectional areas of conductors according to maximum current 110
Table 14.3 – Composition of conductors 111
Table 14.4 – Torque to be applied to screws and nuts 112
Table 14.5 – Pull to be applied to conductor 113
Table 15.1 – Conductor rating 119
Table 15.2 – Conductor pull force 120
Table F.1 – pH value of the test solution 157

COPYRIGHT

Table G.1 – Position of swtitch e, n and p for the measurements of the different classes of luminaires 160
Table J.1 – Degrees of protection indicated by the first characteristic numeral 165
Table J.2 – Degrees of protection indicated by the second characteristic numeral 166
Table L.1 – Damaging influences 170
Table M.1 – Determination of creepage distances and clearances (see Table 11.1) 175
Table N.1 – Guidance on when to use the symbol and its explanation on the luminaire or in the manufacturer's instructions provided with the luminaire 176
Table N.2 – Thermal protection operation 178
Table Q.1 – Minimum values for electrical tests 184
Table U.1 – Minimum distances for a.c. (50/60 Hz) sinusoidal voltages Impulse withstand category III 189

COPYRIGHT

Contents

Page

Foreword 6

CLAUSES

0 Introduction 8
1 Scope 9
2 Normative references 10
3 Terms and definitions 10
4 Abbreviated terms 11
5 Green data centre requirements 11
5.1 General 11
5.2 Management responsibility 12
5.3 Policy 13
5.4 Planning 13
5.5 Implementation and operation 15
5.6 Checking performance 19
5.7 Management review 20

ANNEXES

A (informative) Guidance on the use of Clause 5 Green data centre requirements 22
B (reserved for future use) 27
C (normative) Green data centre metrics 28
D (informative) Green data centre best practices – Management of mechanical systems 34
E (informative) Green data centre best practices – Management of electrical systems 42
F (informative) Green data centre best practices – Management of ICT equipment 44
G (informative) Green data centre best practices – Design of data centres 50

FIGURES

1 Energy and environmental management system for a green data centre 8
2 Energy management best practices applied to a green data centre 9

Bibliography 53

COPYRIGHT