Alpha
Engineering Consultant
2 ALEXANDRA ROAD, #03-03 DELTA HOUSE, SINGAPORE 159919
TEL: (65)6276 2228 FAX: (65)6276 9929 E-MAIL: aec@alpha.com.sg

Our Ref: OM-LC/006

3 March 2006

MEMORANDUM

To: All Engineering Staff

From: Richard Teo

SINGAPORE STANDARD

Please be informed that we have obtained copy of the following titles and these are being kept in the Library for loan by the staff:

1.	CP 12 : Part 1 : 2000	Code of Practice for The filling, inspection, testing and maintenance of containers for the storage and transport of compressed gases Part 1 : Seamless metal containers for gases, excluding dissolved acetylene
2.	CP 12 : Part 2 : 1998	Code of Practice for The filling, inspection, testing and maintenance of containers for the storage and transport of compressed gases Part 2 : Containers for dissolved acetylene gas
3.	CP 78 : 1999	Code of Practice for The distribution of hazardous chemicals

RICHARD TEO

cc TLS/LCT
cc Memo File

/kt

BCA
ISO 9000
CERT. NO.: 236
SS ISO 9001 : 2000

Contents

Page

Foreword 7

CODE OF PRACTICE

1 Scope 8
2 Definitions 8
3 General requirements 9
4 Filling inspection 10
5 Description of inspection items prior to filling 12
6 Description of inspection items during filling 14
7 Description of inspection items after filling 15
8 Periodic inspection and hydraulic pressure testing 15
9 Containers rejected for further service 24

ANNEXES

A Information which shall appear on the container 25
B Example of a procedure to establish the proper tare weight 26
C Procedure to be adopted when a container valve is apparently obstructed 27
D Guidance on rejection limits 30
E Hydraulic proof pressure test 34
F Hydraulic volumetric expansion test 36

TABLES

1 Intervals between periodic inspections and hydraulic tests 11
2 Recommended test date discs for containers 12
3 Limits for oversize taper screw threads in container necks 20
4 Recommended valving torque for stem threads in containers of up to 300 bar service pressure 23
5 Guidance on rejection limits relating to physical and material defects in the container shell 30
6 Guidance on rejection limits for gas containers at time of inspection 31
7 Guidance on rejection limits for gas containers resulting from corrosion 32
8 'K' factors for the compressibility of water 41

Page

FIGURES

1 Typical device for detecting obstructed gas container valves 27

2 Typical device for the removal of a damaged low pressure liquefiable gas container valve 28

3 Illustrations of typical defects 33

4 Example of hydraulic proof pressure test equipment 35

5 Example of water jacket volumetric expansion test equipment (levelling burette method) 37

6 Example of water jacket volumetric expansion test equipment (fixed burette method) 38

7 Example of non-water jacket volumetric expansion test equipment 39

8 Container markings and test ring for industrial and medical containers (excluding dissolved acetylene and propane gas) 42

9 Plastic test rings for permanent and liquefiable gas containers 43

Contents

Page

Foreword 7

CODE OF PRACTICE

0 Introduction 9
1 Scope 9
2 Definitions 9
3 General Requirements 11
4 Filling inspection 12
5 Description of inspection items prior to filling 13
6 Description of inspection items during filling 17
7 Description of inspection items after filling 17

ANNEXES

A Procedure which may be adopted when a cylinder valve is suspected to be obstructed 19
B Guidance on rejection limits at the time of visual inspection 21
C Tools & clearance gauges for inspection of porous mass 27
D Inspection and maintenance of valves: Recommended procedures 30
E Container standards 31
F Information on the cylinder shell 32
G Example of an acetylene cylinder inspection and maintenance report 33

TABLES

1 Periods between internal examinations of dissolved acetylene containers 34
2 Acetylene gas contents versus pressure at 27°C 34
3 Limits for oversize taper screw threads in container necks 35
B-1 Physical and material defects in the cylinder shell 22
B-2 Corrosion on the cylinder wall 23

FIGURES

A-1 Device used to hand-pump inert gas into a cylinder 20
B-1 Bulge 24
B-2 Dent 24
B-3 Cut or gouge 25

		Page
B-4	Dent containing cut or gouge	25
B-5	Crack	25
B-6	Lamination	25
B-7	Arc or torch burns	26
B-8	Area corrosion	26
B-9	Channel corrosion	26
B-10	Isolated pits	26
C-1	Example of tool for inspection of porous mass	27
C-2	Examples of top clearance gauges	28
C-3	Measurement of contraction of porous mass	29

Contents

		Page
Foreword		4
CODE OF PRACTICE		
1	Scope	5
2	Definitions	5
3	The management system	7
4	Applicable Singapore statutory requirements and codes of practice	19