Our Ref: OM-LC/013

Alpha
Consulting Engineers Pte Ltd
2 ALEXANDRA ROAD, #03-03 DELTA HOUSE, SINGAPORE 159919
TEL: (65) 6276 2228 FAX: (65) 6276 9929 E-MAIL: ace@alpha.com.sg
WEBSITE: www.alpha.com.sg COMPANY REGN NO. 199407965N

28 April 2010

MEMORANDUM

To: All Engineering Staff

From: Loh Fook Yuen

SINGAPORE STANDARD SS 550 : 2009 CODE OF PRACTICE FOR INSTALLATION, OPERATION AND MAINTENANCE OF ELECTRIC PASSENAGER AND GOODS LIFTS (FORMERLY CP 2)
SINGAPORE STANDARD SS 551 : 2009 CODE OF PRACTICE FOR EARTHING (FORMERLY CP 16)

Please be informed that we have purchased two copies of the Singapore Standards SS 550 : 2009 Code Of Practice For Installation, operation and maintenance of electric passenger and goods lifts & Singapore Standards SS 551 : 2009 Code of Practice For Earthing.

A copy of the Code Of Practice can be viewed at http://intranet.alpha.com.sg/library/Code_of_Practice/SS550.pdf & http://intranet.alpha.com.sg/library/Code_of_Practice/SS551.pdf

LOH FOOK YUEN

cc TLS/LCT/CCG/GSH
cc Memo File

/my

BCA ISO 14000 CERT. NO.: 2008/134 SS ISO 14001 : 2004
BCA ISO 9000 CERT. NO.: 324 SS ISO 9001 : 2000
SAC ACCREDITED CERTIFICATION BODY Cert No: QS-1997-02 Member of the IAF MLA for QMS

Contents

Page

Foreword 7

CLAUSES

1 General 9
2 Definitions and terminology 10
3 Lift well 16
4 Machine and pulley spaces 22
5 Landing doors 26
6 Cars 27
7 Counterweights 32
8 Suspension, compensation and overspeed protection 32
9 Guide rails, buffers and final limit switches 37
10 Clearances and runbys 41
11 Lift machine 43
12 Electric installations and appliances 44
13 Emergency operations for lifts 45
14 Energy conservation 52
15 Interferences 52
16 Type test requirements 52

ANNEXES

A Rules and regulations 53
B Exchange of information 54
C Inspection and tests of lifts 56
D Periodic maintenance and examination 61
E General illustrations 64
F Measurement of car platform areas 68
G Energy efficiency of lifts 69
H Special requirements for hydraulic lifts 72

TABLES

1 Rated loading capacity 31
2 Maximum and minimum stopping distances for progressive guide clamp type of safety gear 35
3 Minimum energy dissipation type buffer stroke 39

Page

FIGURES

1	Partially enclosed well	20
2	Partially enclosed well – Distances	20
3	Fire fighters' service operation flowchart A	50
4	Fire fighters' service operation flowchart B	51
5	Illustration of a typical lift installation with machine room	64
6	Illustration of a typical lift installation without machine room	65
7	Typical example of lift switchboard in lift machine room	66
8	Typical example of lift distribution board in lift machine room	67
9	Measurement of car platform areas	68
10	Example of a roped hydraulic lift system	78

Contents

		Page
Foreword		9

CLAUSES

1	Scope and normative references	10
1.1	Scope	10
1.2	Normative references	10
2	Definitions	11
3	Design considerations – General	16
3.1	System earthing	16
3.2	Equipment earthing	16
3.3	Factors involved in effective earthing	16
3.4	Soil resistivity	17
4	Earth-electrodes	19
4.1	Effect of shape on electrode resistance	19
4.2	Resistance of common types of earth-electrodes	19
4.3	Selection of a material for an earth-electrode or a buried uninsulated earthing conductor	28
4.4	Miscellaneous types of electrodes	30
4.5	Earthing cathodically protected structures	33
4.6	Selection of an earthing conductor and connection to an electrode	34
4.7	Current density at the surface of an earth electrode	39
4.8	Potential gradient around earth electrodes	39
5	Generator sets	44
5.1	General	44
5.2	Low voltage generators	44
6	Substations	53
6.1	General	53
6.2	General earthing arrangement of substations	55
6.3	Substation earth-electrodes	56
6.4	Earthing conductors for substations and industrial installations operating at similar voltages	57
6.5	Earthing of sheath and/or armour of cables	62
6.6	Miscellaneous matters in substations	65

		Page
7	Consumers' electrical installations	65
7.1	General	65
7.2	Earthing of installations	66
7.3	Exchange of information	67
7.4	Main equipotential bonding	67
7.5	Installations and locations of increased shock risk	67
7.6	Protective conductors	68
7.7	Industrial and commercial installations	69
7.8	Impedance earthing of the supply to large mobile or transportable plant	72
7.9	Construction sites	72
7.10	Marinas	72
8	Temporary scaffolding and similar metallic structures	73
8.1	Metallic structures assembled by means of bolted joints or screw clamps	73
8.2	Lightning protection	73
8.3	Other temporary structures	74
9	Telecommunication circuits and equipment	74
10	Lightning protection and earthing	74
11	Street lighting and other electrically supplied street furniture	74
11.1	General	74
11.2	TN-S systems	75
11.3	Protection arrangements	75
12	Hazardous areas (potentially explosive atmospheres)	75
13	Earthing of other equipment and installations	76
13.1	General	76
13.2	Fences	76
13.3	Pipes	76
13.4	Uninterruptible power supplies (UPSs)	76
13.5	Secondary circuits of instrument transformers	76
14	Earthing of conductors for safe working	76
14.1	General	76
14.2	Safety earthing	77
14.3	Precautions relating to apparatus and cables	78
14.4	Safety earthing of low voltage conductors	78
15	Inspection and test	78
15.1	Periodic inspection	78
16	Documentation	82

Page

ANNEXES

A (informative) Typical calculations for various types of earth electrodes ____ 84

B (informative) Measures on earthing systems to reduce the effects of high frequency interference ____ 87

TABLES

1 Examples of soil resistivity (Ω-m) ____ 17

2 Factors for parallel electrodes arranged in line ____ 22

3 Factors for electrodes arranged in a hollow square ____ 23

4 Minimum sizes of components for earth-electrodes ____ 24

5 Coefficients for strip or round conductor ____ 26

6 Type and minimum dimensions of earth-electrode materials ensuring mechanical strength and corrosion resistance ____ 29

7 Suitability of materials for bonding together ____ 30

8 Geometric mean distance z for closely spaced reinforcing rods ____ 33

9 Earth fault current densities for 1 s duration for earthing conductors with initial conductor temperature of 30 °C ____ 36

10 Earth fault currents (in kA) for copper strip earthing conductors ____ 37

11 Earth fault currents (in kA) for aluminium strip earthing conductors ____ 38

12 Values of K and β ____ 38

13 Values of current densities for earthing conductors ____ 58

FIGURES

1 Effect of buried length of rod or pipe electrode on calculated resistance for soil resistivity of 100 Ω-m (assumed uniform) ____ 21

2 Effect of inter-electrode spacing on combined resistance ____ 21

3 Calculated curves of resistance of 12.5 mm diameter driven rod electrodes ____ 25

4 Resistance of horizontal strip electrodes ____ 27

5 Effect of spacing on combined resistance of two horizontal strip electrodes ____ 27

6 Ground surface potentials around a single rod and three rods in line ____ 40

7 Potential gradient in the vicinity of a horizontal strip electrode ____ 41

8 Potential distribution between rod electrodes ____ 42

9 Single low voltage standby generator (without paralleling facility) ____ 47

10 Low voltage standby generators with neutrals connected ____ 48

11 Low voltage standby generators with neutral earthing transformers ____ 49

12 Low voltage standby generators with star-point switching ____ 50

		Page
13	Simplified illustration of single-core cable sheath bonding systems	64
14	Earthing arrangement and protective conductors for consumers' installations	66
15	Measurement of earth electrode resistance	80
16	Earth resistance curves	81
17	Measurement of earth resistivity	82