Alpha
Engineering Consultant
2 ALEXANDRA ROAD, #03-03 DELTA HOUSE, SINGAPORE 159919
TEL: (65)6276 2228 FAX: (65)6276 9929 E-MAIL: aec@alpha.com.sg

Our Ref: OM-LC/017

13 May 2005

MEMORANDUM

To: All Engineering Staff

From: Andrew Loh

SINGAPORE STANDARD CP 48: 2005 – CODE OF PRACTICE FOR WATER SERVICES

Please be informed that we have purchased a copy of CP 48: 2005 - Water Services and is kept in the Library for reference by the Staff.

ANDREW LOH

cc TLS/RT
cc Memo File

/kt

BCA
ISO 9000
CERT. NO.: 236
SS ISO 9001 : 2000

Contents

		Page
Foreword		6
CODE OF PRACTICE		
1	General	
1.1	Scope	7
1.2	Definitions	7
1.3	Preliminaries	9
1.4	Standards of materials and fittings	10
2	Distribution	
2.1	Pipework	11
2.2	Choice of materials for piping	12
2.3	Mains	13
2.4	Services	14
2.5	Hot water supply systems	16
2.6	Mode of water supply	17
2.7	Distribution in tall buildings	18
2.8	Fire-fighting services	18
3	Storage	
3.1	General	19
3.2	Storage capacity	21
3.3	Storage tanks	22
4	Fittings and appliances	
4.1	Rates of flow	22
4.2	Fittings	23
4.3	Appliances	25
5	Work on site	
5.1	Jointing of pipes	27
5.2	Connections between different materials	29
5.3	Jointing pipes to cisterns and tanks	29
5.4	Mainlaying	30
5.5	Service pipes	30
5.6	Meters	31
5.7	Pipework in services	32
5.8	Draw-off taps	33
5.9	Sterilisation of installation	33

Page

6 Inspection, testing and maintenance
6.1 General 33
6.2 Mains 33
6.3 Services 34
6.4 Maintenance 34
7 Water conservation
7.1 General 36
7.2 Water conservation measures 36

ANNEX

A Sterilisation of installation 38

TABLES

1 Flow rates at various fittings or appliances 23
2 Maximum allowable flow rates and timing for self-closing delayed-action taps 23
3 Recommended meter sizes 32
4 Spacing of fixings for piping 33

FIGURES

1 Mode of water supply to water fittings located below 125 m reduced level 41
2 Mode of water supply to water fittings located above 125 m reduced level but below 137 m reduced level 42
3 Mode of water supply to water fittings located above 137m reduced level 43
4 System for raising and distributing water in high rise buildings with multi-stage pumping 44
5 Water meter in chamber 45
6 Water meter in chamber (with separate underground valve chamber) 46
7a Water meter and valves in chamber 47
7b Water meter and valves in chamber (alternate view) 48
8 Meter fixed horizontally and enclosed in gate pillar (for landed properties) 49
9 Sub-meters fixed vertically and enclosed in service duct 50
10 Sub-meters fixed horizontally and enclosed in service duct 51
11 Installation of water saving devices for various taps 52
12 Installation of water saving devices for showers taps and mixers 53